




1/18

**FIG. 1**



**FIG. 2**








FIG. 3





3/18


FIG. 4





4/18

FIG. 5





5/18

FIG. 6

Patintelligence P-Shoe-Dell (General)

File Document View Tools Help

Back Open Save Clip Print Shoe View More Order Listing Doc Select Exclude

5,946,469	Computer sys
5,852,739	Low profile p
5,831,821	Computer ha
5,815,351	Overload pro
5,808,663	Multimedia c
5,804,875	Computer sys
5,782,354	Corrugated e
5,777,848	Power supply
5,768,099	Computer wit
5,754,397	Docking con
5,647,748	Printed circu
5,625,534	Portable com
5,623,869	Laptop table
5,497,292	Configurable
4,999,767	System havin

☒ Undecided  
☒ Selected  
☒ Excluded

Document 8 OF 15. 0 selected 0 excluded 100% undecided

P-Shoe 5.1b/218

410b


Power supply mounting assembly for electronic equipment

Amounting assembly for mounting a component in electronic equipment, such as a computer system, which includes an enclosure and a mounting bracket pivotally mounted to the enclosure. One or more retaining members are disposed on the bracket for engaging the component to retain the component in the bracket in abutting relationship. The bracket, and therefore the component, are connected to the enclosure so that they can be pivoted between a position in which the component is mounted in the enclosure and a position in which it extends out of the enclosure. In the mounted position, the bracket forms a portion of



6/18


FIG. 7





7/18

FIG. 8





8/18

FIG. 9

Patintelligence P-Shoe-Dell (General)


File Document View Tools Help

Back Open Save Clip Print Shoe View More Order Listing Doc Select Exclude

5,946,469	Computer sy
5,852,739	Low profile p
5,831,821	Computer ha
5,815,351	Overload pro
<b>5,808,663</b>	<b>Multimedia c</b>
5,804,875	Computer sys
5,782,354	Corrugated e
5,777,848	Power supply
5,768,099	Computer wit
5,754,397	Docking con
5,647,748	Printed circu
5,625,534	Portable com
5,623,869	Laptop table
5,497,292	Configurable
4,999,767	System havin

☒ Undecided  
☒ Selected  
☒ Excluded

**Multimedia carousel for video conferencing and multimedia presentation applications**



A multimedia carousel for use in video conferencing and multimedia presentation applications is disclosed. The multimedia carousel includes a cube-shaped media unit rotatably disposed on a stationary base. Each of the four outwardly facing sides of the media unit is equipped with an active color matrix display, a voice-activated charge coupled device ("CCD") camera and a microphone. A single high fidelity speaker is disposed on the top side surface of the cube for producing high quality audio output.

7 Pages, 25 Claims, 4 Figures.

Abstract Bibliographic Claims Notes

Document 5 of 15. 0 selected 0 excluded 100% undecided P-Shoe 5,1b/218





9/18

FIG. 10

Patintelligence P-Shoe-Dell (General)

File Document View Tools Help

Back Open Save Clip Print Shoe View More Order Listing Doc Select Exclude

5,946,469	Computer sy
5,852,739	Low profile p
5,831,821	Computer ha
5,815,351	Overload pro
5,808,663	Multimedia c
5,804,875	Computer sys
5,782,354	Corrugated e
5,777,848	Power supply
5,768,099	Computer wit
5,754,397	Docking con
5,647,748	Printed circ
5,625,534	Portable com
5,623,869	Laptop table
5,497,292	Configurable
4,999,767	System havin

☒ Undecided  
☒ Selected  
☒ Excluded

Abstract Bibliographic Claims Notes

Document 5 of 15. 0 selected 0 excluded 100% undecided

P-Shoe 5,1b/218


**Multimedia carousel for video conferencing and multimedia presentation applications**

A multimedia carousel for use in video conferencing and multimedia presentation applications is disclosed. The multimedia carousel includes a cube-shaped media unit rotatably disposed on a stationary base. Each of the four outwardly facing sides of the media unit is equipped with an active color matrix display, a voice-activated charge



10/18

FIG. 11





11/18

FIG. 12

Patintelligence P-Shoe-Dell(General)

File Document View Tools Help

Back Open Save Clip Print Shoe View More Order Listing Doc Select Exclude

5,946,469	Computer sys
5,852,739	Low profile p
5,831,821	Computer ha
5,815,351	Overload pro
5,808,663	Multimedia c
5,804,875	Computer sys
5,782,354	Corrugated e
5,777,848	Power supply
5,768,099	Computer wit
5,754,397	Docking con
5,647,748	Printed circu
5,625,534	Portable com
5,623,869	Laptop table
5,497,292	Configurable
4,999,767	System havin

**Power supply mounting assembly for electronic equipment**

A mounting assembly for mounting a component in electronic equipment, such as a **computer** system, which includes an enclosure and a mounting bracket pivotally mounted to the enclosure. One or more retaining members are disposed on the bracket for engaging the component to retain the component in the bracket in abutting relationship. The bracket, and therefore the component, are connected to the enclosure so that they can be pivoted between a position in which the component is mounted in the enclosure and a position in which it extends out of the enclosure. In the mounted position, the bracket forms a portion of one or more walls of the enclosure.

7 Pages, 25 Claims, 5 Figures.

SERIAL: 08/771,012

Abstract Bibliographic Claims Notes


Document 9 OF 15. 0 selected 0 excluded 100% undecided

P-Shoe 5, 1b/218



12/18


**FIG. 13**






13/18

FIG. 14





**FIG. 15**



**FIG. 16**







FIG. 17





16/18

FIG. 18

PatentIntelligence P-Shoe-Disney2(General)

File Document View Tools Help

Back Open Save Clip Print Shoe View More Order Listing Doc Select Exclude

☒ 5,783,725 Inflatable motion base  
☒ 5,784,980 Method for coordinating production of an arranged theater  
☒ 5,740,146 Method and apparatus for reducing noise using a plurality  
☒ 5,733,462 Method and apparatus for creating pyrotechnic effects  
☒ 5,686,882 Method and apparatus for providing animatronic in a three-  
☒ 5,672,281 Fluid filtering apparatus and method  
☒ 5,671,091 Virtual case  
☒ 5,632,953 Method and apparatus for providing a virtual world sound  
☒ 5,629,595 Method and apparatus for an amusement ride having an  
☒ 5,627,338 Firework & projectile having distinct shell configuration  
☒ 5,623,878 Dynamic ride vehicle  
☒ 5,613,443 Amusement ride for traveling down a water chute with re-  
☒ 5,595,121 Amusement ride and self-propelled vehicle therefor  
☒ 5,584,654 Beneficial insect counting and packaging device  
☒ 5,580,605 Conveying device with self steering powered center  
☒ 5,568,914 Method and system for guiding a user in a virtual reality  
☒ 5,565,367 Three dimensional virtual image system  
☒ 5,563,844 Programming device and method for controlling ride vehi-  
☒ 5,577,961 Method and system for restraining a leader object in a car  
☒ 5,572,743 Helmet mounting device and system  
☒ 5,564,984 Double hull amusement ride vehicle  
☒ 5,558,340 Amusement ride assembly with rotating tube synchronizer  
☒ 5,551,920 Motion base  
☒ 5,545,492 Special effects spark generating system  
☒ 5,544,228 Method and apparatus for transaction of full frequency  
☒ 5,542,604 Drifting fountain with sound check  
☒ 5,540,622 Water ride  
☒ 5,529,382 Passenger restraint system  
☒ 5,526,750 Fireworks projectile having combustible shell  
☒ 5,493,281 Method and apparatus for remote synchronization of audio  
☒ 5,488,508 Vignetting technique for improving appearance of partial  
☒ 5,473,990 Ride vehicle control system  
☒ 5,458,184 Lateral energy absorbing device for slot guided vehicle  
☒ 5,453,053 Amusement ride having spinning passenger cars  
☒ 5,440,361 Electronic time fuse  
☒ 5,440,361 Method for flattening acetate-based films using steam  
☒ 5,421,589 Method and apparatus for displaying an alpha channel vi-  
☒ 5,421,267 Articulated pluck drive  
☒ 5,418,847 Multi-band, digital audio noise filter  
☒ 5,409,226 Apparatus for providing position signals  
☒ 5,407,391 Negative best illusion and related method  
☒ 5,405,152 Method and apparatus for an interactive video game with  
☒ Undeclared  
☒ Excluded

**Amusement ride for traveling down a water chute with reduced splash**

An amusement ride includes a vehicle travelling down a chute through a region of water. The vehicle is shaped to minimize splashing and to allow water to flow away from the vehicle. The vehicle flanks are curved to deflect splashing water down and away from the vehicle, and the vehicle bow has upper flanks to deflect water down and away from the vehicle. The vehicle bottom has a concave channel to accommodate water displaced by the vehicle. The vehicle has sets of wheels for travelling, for guiding lateral motion, and for interlocking with floating prevention mechanism. A groove along each side of the vehicle accommodates a splash prevention member on the water chute.

Abstract/Bibliographic/Clauses/Notes

Document 14 of 135: 21 selected, 21 excluded, 65% undeclared

P-Shoe 5.1b/218





17/18

FIG. 19

PatentIntelligence P-Shoe-Usiney2(General)

File Document View Tools Help

Back Open Save Clip Print Shoe View More Order Select/Exclude

Method for coordinating production of an arranged letter  
Method and apparatus for reducing noise using a plurality  
Method and apparatus for creating pyrotechnic effects  
Method and apparatus for providing anamorphic in a three-  
Method and apparatus for providing anamorphic in a three-  
Fluid filtering apparatus and method  
Virtual case  
Method and apparatus for providing a virtual world sound  
Method and apparatus for an amusement ride having an  
Firework & projectile having distinct shell configuration  
Dynamic ride vehicle  
Amusement ride for traveling down a water chute with re-  
Amusement ride and self-propelled vehicle therefor  
Beneficial insect counting and packaging device  
Conveying device with self steering powered caster  
Method and system for guiding a user in a virtual reality  
Three dimensional virtual image system  
Programming device and method for controlling ride vehi-  
Method and system for restraining a leader object in a car  
Helmet mounting device and system  
Double hull amusement ride vehicle  
Amusement ride assembly with rotating tube synchronizer  
Motion base  
Special effects spark generating system  
Method and apparatus for transaction of full frequency  
Drinking fountain with sound check  
Water ride  
Passenger restraint system  
Fireworks projectile having combustible shell  
Method and apparatus for remote synchronization of audio  
Vignetting technique for improving appearance of partial  
Ride vehicle control system  
Lateral energy absorbing device for slot guided vehicle  
Amusement ride having spinning passenger cars  
Electronic time force  
Method for flattening acetate-based films using steam  
Method and apparatus for displaying an alpha channel vi-  
Articulated pinna drive  
Multi-band digital audio noise filter  
Apparatus for providing position signals  
Negative bust illusion and related method  
Method and apparatus for an interactive video game with

FIG. 19

CLAIMS

We claim:

1. An amusement ride of the type in which passengers are transported down a vertically inclined chute having side walls, to pass through a region of the chute containing water, intended to prevent splashing of the passengers, the amusement ride comprising:

rail assemblies extending along said chute, and

a vehicle shaped to fit within the chute in spatial relation to the side walls and the rail assemblies to travel along the chute in a forward direction while maintaining such spacing, said vehicle comprising:

means for contacting the rail assemblies to guide said vehicle for motion in a forward direction longitudinally along the chute without flotation as it passes through the water filled region;

a watertight upwardly open interior region for accommodating the passengers;

a forward end and a rearward end;

a bottom configured to define a centered concave channel extending longitudinally substantially between said forward end and said rearward end of said vehicle, for accommodating the passage of water, and

side surfaces extending longitudinally rearwardly of said vehicle in spaced relation from and facing toward the side walls of the chute.

Abstract/Bibliography/Claims/Notes

Document 44 of 136, 21 selected, 21 excluded, 69% undetected

P-Shoe-3, 3/1/18



18/18

FIG. 20

417

Patintelligence P-Shoe-Disney(General)

File Document View Tools Help

Back Open Save Clip Print Shoe View More Order Listing Doc Select Exclude

418

Amusement ride for traveling down a water chute with reduced splash

An amusement ride includes a vehical traveling down a chute through a region of water. The vehicle is shaped to minimize splashing and to allow water to flow away from the vehicle. The vehicle flanks are curved to deflect splashing water down and away from the vehicle, and the vehicle bow has upper flanks to deflect water down and away from the vehicle. The vehicle bottom has a concave channel to accomodate water displaced by the vehicle. The vehicle has sets of wheels for traveling, for guiding lateral motion, and for interlocking with floating prevention mechanism. A groove along each side of the vehicle accomodates a splash prevention member on the water chute.

11 Pages, 15 Claims, 10 Figures

SERIAL: 08/290.883

FILED DATE: June 27, 1995

PRIORITY: September 2, 1992, Appl. No. 4-234983

ISSUE DATE: March 25, 1997

INVENTOR: Ariga, Moriaki, Yokohama Japan(JPX)  
 Ojima, Heiichi, Hachiohji Japan(JPX)  
 Kawauchi, Yoshihiro, Tokyo Japan(JFX)  
 Kobayashi, Toshihiro, Fujisawa Japan(JPX)

Abstract Bibliographic Claims Notes

Document 44 of 136, 21 selected 21 excluded 69% undecided

P-Shoe 5. Jh/218

410

411

412

413

414

415

5.769.725 Inflatable motion base

5.764.980 Method for coordinating production of an arranged tester

5.740.146 Method and apparatus for reducing noise using a plurality

5.739.462 Method and apparatus for creating pyrotechnic effects

5.696.892 Method and apparatus for providing animatronic in a three-

5.672.281 Fluid filtering apparatus and method

5.671.091 Virtual easel

5.633.993 Method and apparatus for providing a virtual world sound

5.629.595 Method and apparatus for an amusement ride having an

5.627.338 Firework & projectile having distinct shell configuration

5.623.878 Dynamic ride vehicle

5.613.443 Amusement ride for traveling down a water chute with reduced splash

5.595.121 Amusement ride and self-propelled vehicle therefor

5.594.654 Beneficial insect counting and packaging device

5.590.605 Conveying device with self steering powered caster

5.588.914 Method and system for guiding a user in a virtual reality

5.585.967 Three dimensional virtual image system

5.583.844 Programming device and method for controlling ride vehi

5.577.961 Method and system for restraining a leader object in a car

5.572.743 Helmet mounting device and system

5.564.984 Double hull amusement ride vehicle

5.556.340 Amusement ride assembly with rotating tube synchronizer

5.551.920 Motion base

5.545.092 Special effects spark generating system

5.544.228 Method and apparatus for transaction of full frequency

5.542.604 Drinking fountain with sound check

5.540.622 Water ride

5.529.382 Passenger restraint system

5.526.750 Fireworks projectile having combustible shell

5.493.281 Method and apparatus for remote synchronization of audio

5.488.508 Vignetting technique for improving appearance of partial

5.473.990 Ride vehicle control system

5.456.184 Lateral energy absorbing device for slot guided vehicle

5.453.053 Amusement ride having spinning passenger cars

5.440.990 Electronic time fuze

5.440.361 Method for flattening acetate-based films using steam

5.421.589 Method and apparatus for displaying an alpha channel vi

5.421.267 Articulated pinch drive

5.416.847 Multi-band, digital audio noise filter

5.409.226 Apparatus for providing position signals

5.407.391 Negative bust illusion and related method

5.405.152 Method and apparatus for an interactive video game with

5.395.121 Amusement ride and self-propelled vehicle therefor

5.594.654 Beneficial insect counting and packaging device

5.590.605 Conveying device with self steering powered caster

5.588.914 Method and system for guiding a user in a virtual reality

5.585.967 Three dimensional virtual image system

5.583.844 Programming device and method for controlling ride vehi

5.577.961 Method and system for restraining a leader object in a car

5.572.743 Helmet mounting device and system

5.564.984 Double hull amusement ride vehicle

5.556.340 Amusement ride assembly with rotating tube synchronizer

5.551.920 Motion base

5.545.092 Special effects spark generating system

5.544.228 Method and apparatus for transaction of full frequency

5.542.604 Drinking fountain with sound check

5.540.622 Water ride

5.529.382 Passenger restraint system

5.526.750 Fireworks projectile having combustible shell

5.493.281 Method and apparatus for remote synchronization of audio

5.488.508 Vignetting technique for improving appearance of partial

5.473.990 Ride vehicle control system

5.456.184 Lateral energy absorbing device for slot guided vehicle

5.453.053 Amusement ride having spinning passenger cars

5.440.990 Electronic time fuze

5.440.361 Method for flattening acetate-based films using steam

5.421.589 Method and apparatus for displaying an alpha channel vi

5.421.267 Articulated pinch drive

5.416.847 Multi-band, digital audio noise filter

5.409.226 Apparatus for providing position signals

5.407.391 Negative bust illusion and related method

5.405.152 Method and apparatus for an interactive video game with